



SCALE:
NTS



VALVE BOX AND COVER
MUELLER TYPE H-10360
OR ACCU CAST 2 PIECE
SCREW TYPE

6" PVC PIPE OVER
SEWER VALVE

2" PVC S/T COUPLING

VALVE BOX AND COVER

2" BALL VALVE TEFLON
COATED FORD #B11-777W

P.L.

2" MATCO TYPE FLOW
CONTROL CHECK VALVE

VALVE BOX AND COVER

PROPERTY
CORNER

P.L.

1'

1'

VALVE TO BE FEMALE THREADED
BOTH ENDS (NO SLIP JOINT
ALLOWED) USE BRASS NIPPLE
OUT OF VALVE TO RUN SERVICE
LINE

TEE OR TAPPING SADDLE
SIDE TAP

VALVE BOX

GRAY
2" SCH 80 PVC
OR SDR 21


NOTE:

1. ALL SERVICES 20' AND LONGER SHALL BE CONSIDERED LONG SERVICES. SHORTER THAN 20' SHALL BE CONSIDERED SHORT SERVICES.
2. ALL MATERIAL USED SHALL MEET CITY OF HORSESHOE BAY APPROVAL.



City of
Horseshoe Bay

**TYP. 2" DOUBLE SEWER
SERVICE CONN.**



*Willis Environmental
Engineering, Inc.*

CONSULTING ENGINEERS

310 MAIN STREET, MARBLE FALLS, TEXAS 78654

• (830) 693-3566 • FAX (830) 693-5362 • e-mail: tplumlee@willis-engineering.com